





REVISIONS					
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	M138185	NRE RELEASE	08/08/12	AV	DJ

**SUGGESTED MOUNTING CONFIGURATION  
FOR DF782 CASE STYLE, "04AM03" PIN CODE**




COMPONENT	SIZE
C1-C4, L1-L4	0402
CDC, CB	0805

- NOTES:**
- TRACE WIDTH IS SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .030" ± .0015"; COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH MAY NEED TO BE MODIFIED.
  - BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.
  - CHIP COMPONENT FOOT PRINTS SHOWN FOR REFERENCE. FOR COMPONENT VALUES REFER TO TB-670+.


 DENOTES PCB COPPER LAYOUT WITH SMOBC  
 DENOTES SOLDER MASK OVER BARE COPPER  
 DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK

UNLESS OTHERWISE SPECIFIED	INITIALS	DATE
DIMENSIONS ARE IN INCHES	AV	08/02/12
TOLERANCES ON:	IL	08/08/12
2 PL. DECIMALS ± .005	DJ	08/08/12
3 PL. DECIMALS ±		
ANGLES ±		
FRACTIONS ±		

  
 13 Neptune Avenue  
 Brooklyn NY 11235

**PL, 04AM03, 75, DF782, TB-670+**

**THIRD ANGLE PROJECTION**



THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDORS AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE, MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.

Mini-Circuits®	SIZE	CODE IDENT	DRAWING NO:	REV:
ASHEETL1.DWG REV:A DATE:01/12/95	A	15542	98-PL-379	OR
FILE: 98PL379	SCALE: 5:1	SHEET: 1 OF 1		