
ANGLE PROJECTION
)) -[-

		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	ECO-018890	NEW RELEASE	08/15/23	ITG	IL

SUGGESTED MOUNTING CONFIGURATION FOR TT1491-7 CASE STYLE



NOTES:

- 1. TRACE WIDTH IS SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .020". COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH MAY NEED TO BE MODIFIED.
- 2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.



DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER)



DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK

UNLESS OTHERWISE SPECIFIED		INITIALS	DATE			. ~:		• 4 ®			
DIMENSIONS ARE IN INCHES	DRAWN	ITG	08/15/23	Mini-Circuits® 13 Neptune Aven					Neptune Avenue		
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	GF	08/15/23		Τ				вгоокіуп	NI 117	ะงจ
3 PL DECIMALS ± .005 ANGLES ±	APPROVED	IL	08/15/23	☐ PL, TT1491-7, TB-RDC205210W							
FRACTIONS ±										+	
Mini-Circuits ®] -	_,	· - · ,		212 010	0 0 . 0 2	. •	-
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE, MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE				SIZE	CODE IDENT	DRAWING NO	:			REV:	
				A	15542		98	-PL-7	59		OR
PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.					98PL759	SCALE:	8:1	SHEET:	1	OF	1
ASHEETA1.DWG REV:A DATE:01/12/95				<u> </u>	OI LIOS		0.1		1		1